

INDUSTRIAL & COMMERCIAL

CLEANING EQUIPMENT

Made as Per CE Standards.

Product Catalogue



ATCOCLEAN, your premier destination for high-quality industrial cleaning equipment. With our extensive range of cutting-edge products, we are committed to meeting the diverse needs of industrial cleaning applications.

ATCOCLEAN scrubbers and sweepers are produced by an OEM partner in Asia specializes in manufacturing industrial and commercial cleaning equipment, excelling in R&D, sales, and service. With a track record of delivering 460,000 units, they dominate China's cleaning equipment market. Backed by collaborations with prestigious institutions like the Chinese Academy of Sciences, they lead in Industry. Their latest equipment offers 50%-150% quality improvement, supported by 100 patents and certifications from SGS and CEPREI. Operating 4 production facilities covering 300,000 sqm, they offer over 1,000 products and extensive storage centers, ensuring efficient logistics. In short, they are a pioneering and sizable force in China's cleaning equipment industry.

Keep your floors spotless with our innovative ride-on floor sweepers, ensuring debris and dust are effortlessly removed. At ATCOCLEAN, we pride ourselves on providing durable, reliable, and innovative solutions that enhance your cleaning efficiency. Experience the ATCOCLEAN difference today and elevate your industrial cleaning game. Explore our range now and transform the way you clean.

We are specialist Suppliers, Integrators, Solutions & Service providers of a comprehensive range of:

INTRALOGISTICS

- Warehouse Automation
- Material Handling Equipment
- Racking & Storage Solutions
- Loading Bay Equipment
- Weighing Scales & Systems
- Software Solutions
- Industrial Cleaning Equipment

PACKAGING

- Filling & Packaging Lines
- Modified Atmosphere Packaging
- Food Inspection Systems
- End of Line Packing
- Coding & Marking

COMMERCIAL KITCHEN

- Turnkey projects for Kitchens, Restaurants, Cafes & Bakeries
- Equipment for Bakeries, Confectioneries, Meat Processing Vegetables Processing
- Equipment for Cooking, Refrigeration, Dish/warewash

WHO WE ARE?

ALE International LLC specializes in the Supply, Installation and Service of high quality Intralogistics, Packaging & Commercial Kitchen Equipment. ALE is part of the holding company **BARNSELY UNIVERSAL INC.** - owner of the **ATCO** brand and one of the largest stockists of its core products in the industry.

WHY US?

SINCE

2002

PRODUCTS

500+

HAPPY CLIENTS

10000+

WORLDWIDE INSTALLATIONS




- High quality products at affordable prices, tried and tested in the marketplace for 22+ years
- Professional management
- Streamlined business processes
- Large inventory of finished goods and spare parts
- Know-how of the industry & market as a whole to provide the right solution & product for the right application
- Team of professionally trained sales & service engineers who ensure a smooth experience for the customers, right from project consultancy, to supply of the right product, to installation, training and after sales service

Productivity, Performance, Safety, Stability, Durability - remain the hallmarks of our products



Head Office & Logistics Centre
Jebel Ali Free Zone (North)
Dubai, UAE.




Team ATCO



ATCOPACK Stall
Gulfood Manufacturing
Dubai, UAE.

ACM 30 Hand Push Scrubber


Made as per CE standards.



Benefits & Features


- 1. The high-stretch plastic hose is light in weight, easy to fix, durable and of high quality.
- 2. The recovery tank can be removed from the machine body, which reduces the total weight when the appliance is being transferred or carried upstairs.
- 3. The machine body is smart, flexible and foldable, which greatly facilitates the storage and transportation and makes the machine suitable for use in tiny space.
- 4. Washing, Scrubbing and Vacuuming integrated; instant drying with nothing left; able to realize intelligent noise reduction.
- 5. Aluminum alloy stainless steel push rod; high-quality ground and aluminum alloy squeegee; wear-resistant tires resistant to strong acid chemicals and solvents.

The ACM30 is especially suitable for use in:




Product Specification	
Battery capacity (V/Ah)	12/32 x 2
Theoretical cleaning efficiency (m²/h)	1350
Cleaning width (mm)	350
Endurance time (h)	1-2 h
Brush motor power (W)	300
Driving motor power (W)	-
Solution tank capacity (L)	10
Recovery tank capacity (L)	15
Squeegee width (mm)	450
Suction motor power (W)	400
Total weight (kg)	75
Product size (mm)	700 x 450 x 1050

Powerful Suction Motor




Excellence derives from details



ACM 50 Walk-behind Floor Scrubber


Made as per CE standards.



Benefits & Features

1. The ground brush is adjustable and equipped with a worn brush indicator, which enables users to replace the brush in time and boosts user experience.
2. Its dedicated 400 W suction motor is able to realize fast and powerful stain removal leaving nothing behind, facilitating the tedious cleaning work.
3. The solution tank and recovery tank are enlarged, so that the machine does not require frequent water adding or dumping during the cleaning process.
4. With multiple models available, customers can choose between diferent options according to their demands and budgets.

The ACM50 is especially suitable for use in:



Product Specification	
Battery capacity (V/Ah)	24/100
Theoretical cleaning efficiency (m²/h)	2800
Cleaning width (mm)	510
Endurance time (h)	2 to 3
Driving motor power (W)	-
Solution tank capacity (L)	50
Recovery tank capacity (L)	55
Squeegee width (mm)	825
Suction motor power (W)	400
Total weight (kg)	151
Product size (mm)	1290 x 825 x 1055

Powerful Suction Motor

400W dedicated Suction motor. One-step cleaning with nothing left

Suction Power increased by 36%

AMETEK Pure Copper Motor


Excellence derives from details

55L recovery tank
50L solution tank

Water level sensor inside
Avoiding overflow
Protect the motor
Long lasting effects

ACXMD50/50 Hand-Push Type Floor Scrubber


Made as per CE standards.



Benefits & Features

1. One-button detachable brush plate for easy maintenance
2. Water/vapor separated design in water tank to better protect the vacuum motor
3. Multi-function holder for carrying cleaning tools
4. Adjustable angle of the squeegee to the ground to meet the cleaning needs of the different floors
5. Fully simplified operation panel for easy operation
6. Entire injection molded chassis, air channel separation design to greatly reduce machine noise

The ACXMD50/50 is especially suitable for use in:




Product Specification

Battery capacity (V/Ah)	24/100
Squeegee width (mm)	825
Continuous Running time (h)	3
Theoretical cleaning efficiency	2800
Suction motor power (W)	300
Brush motor power (W)	550
Cleaning width (mm)	520
Driving motor power (W)	100 (Driver model)
Solution tank capacity (L)	45
Recovery tank capacity (L)	50
Total weight (kg)	138
Product size (mm)	1400 x 825 x 1040

Hand-push Floor Scrubber




Excellence derives from details



ACM 60-Self-propelled Walk-behind Floor Scrubber


Made as per CE standards.

ATCO CLEAN
Industrial Cleaning Equipment



1. Handrail
2. Anti-collision wheel
3. Clean water inlet
4. Sewage tank cover
5. Brush plate

6. Tire
7. Anti-collision wheel
8. Controlling panel A
9. Controlling panel B
10. Sewage discharging pipe




11. Suction pipe
12. Squeegee
13. Walking switch

Benefits & Features

1. With washing, scrubbing and drying all integrated in one machine, ACM60 is able to largely facilitate the tedious cleaning work, save time and effort for the cleaning staff.
2. A super high cleaning efficiency of 3,300 m²/h enables the ACM60 to quickly finish the cleaning of large space and reduce your dependence on manual cleaning.
3. Equipped with the upgraded AMETEK copper-core suction motor, the suction force of the ACM60 is greatly boosted by 36%, which makes the cleaning more powerful and thorough.
4. Double large-capacity water tanks with water level sensors inside make long endurance possible, while does not require frequent water adding and dumping.
5. Big-capacity water tanks, thickened anti-slippery wheels and high-quality bristles greatly guarantee the cleaning effects and make the operation safer and easier.


The ACM60 is especially suitable for use in:



Product Specification

Battery capacity (V/Ah)	24/100
Theoretical cleaning efficiency (m ² /h)	3300
Cleaning width (mm)	560
Endurance time (h)	2 to 3
Driving motor power (W)	300
Solution tank capacity (L)	55
Recovery tank capacity (L)	65
Squeegee width (mm)	825
Suction motor power (W)	400
Total weight (kg)	150
Product size (mm)	1300 x 825 x 1150

Powerful Suction Motor




Excellence derives from details



ACK 70 Ride-On Scrubber

Made as per CE standards.



- | | | |
|----------------------|----------------------------|-----------------------|
| 1. Steering wheel | 6. Tire | 11. Clean water inlet |
| 2. Inspection board | 7. Brush Plate | |
| 3. Sewage tank cover | 8. Sewage discharging Pipe | |
| 4. Cushion | 9. Squeegee | |
| 5. Water level gauge | 10. Controlling panel | |

Benefits & Features

1. Dedicated steering wheel made of PU material, which is aesthetic, comfortable and user-friendly; water level indicator, enabling users to check the water amount at any time and add or dump water when necessary.
2. Squeegee and brush lifting handles, smart operating panel, ride-on design, largely facilitating the operation while making the cleaning work a comfortable and enjoyable process.
3. Large-capacity tanks, large-sized clear water filter, strong suction and driving motors, bringing thorough, powerful and visible cleaning effects.
4. Single-brush and double-brush models, bringing more choices and enabling users to choose according to their cleaning needs and budgets.


The ACK70 is especially suitable for use in:



Product Specification

Battery capacity (V/Ah)	6/100 x 4
Theoretical cleaning efficiency (m ² /h)	6500
Cleaning width (mm)	830
Endurance time (h)	02 to 03
Side brush motor power (W)	350 x 2
Driving motor power (W)	500
Solution tank capacity (L)	80
Recovery tank capacity (L)	85
Squeegee width (mm)	1190
Suction motor power (W)	600
Total weight (kg)	380
Product size (mm)	1300 x 1000 x 1000

Powerful Suction Motor




Excellence derives from details



ACK 80 Ride-On Floor Scrubber


Made as per CE standards.




Benefits & Features

1. Dedicated steering wheel made of PU material, which is aesthetic, comfortable and user-friendly; LED lighting device equipped, enabling safe operation in dimly lit environments; double brush design, maximizing the cleaning effects.
2. Smart operating panel, ride-on design, intelligent water level alarm and automatic lifting of squeegee during the reversing process, largely facilitating the operation while making the cleaning work a comfortable and enjoyable process.
3. Large-capacity tanks, large-sized clear water filter, strong suction and driving motors, bringing thorough, powerful and visible cleaning effects.
4. Ground brushes, batteries and squeegee of high quality, U-slot squeegee protective device, making the appliance more resistant and durable and extending the service life.

The ACK80 is especially suitable for use in:




Product Specification	
Battery capacity (V/AH)	6/200 x 4
Water suction motor (W)	600
Brush motor (W) x Quantity	350 x 2
Travel motor (W)	600
System voltage (v)	24
Grade (%)	25
Cleaning width (mm)	830
Brush width (mm)	830
Squeegee width (mm)	1190
Theoretical work efficiency (m²/h)	6500
Machine weight (kg)	380
Endurance time (h)	3-4



ACK 90 Ride-On Scrubber


Made as per CE standards.



Benefits & Features


- 1. Double 17 inch ground brush, 1200 mm widened squeegee, 7800 m²/h cleaning efficiency, equivalent to 10 cleaning workers.
- 2. Branded customized batteries with large capacity, effectively extending the endurance time, able to work continuously for 4 to 5 hours, no need for frequent recharging.
- 3. Large-capacity solution and recovery tanks, no need for frequent water adding or dumping; super powerful suction and rolling brush motors, easily removing stubborn stains.
- 4. Great adaptability, suitable for use in a wide range of environments, easily dealing with multiple scenes and carrying out complicated work.

The ACK90 is especially suitable for use in:




Product Specification	
Battery capacity (V/Ah)	36/200
Theoretical cleaning efficiency (m²/h)	7800
Cleaning width (mm)	900
Endurance time (h)	4 to 5
Side Brush motor power (W)	650 x 2
Driving motor power (W)	800
Solution tank capacity (L)	240
Recovery tank capacity (L)	260
Squeegee width (mm)	1200
Suction motor power (W)	600
Total weight (kg)	555
Product size (mm)	1790 x 1200 x 1450

Powerful Suction Motor



Excellence derives from details



ACU 90 Walk Behind Sweeper

Made as per CE standards.



Benefits & Features

- 1. The ACU90 sweeper works on the mechanical principle and does not require any fuel or electricity at all, which makes it economical, energy-saving and eco-friendly.
- 2. Collapsible design, enabling easy transportation and storage; adjustable main brush, allowing users to change the cleaning strength according to the type of the ground.
- 3. 55 L debris hopper, large capacity, no need for frequent garbage dumping.
- 4. High-quality main brush and side brushes, wear-resistant rear wheels, extending the service life.

The ACU90 is especially suitable for use in:



Product Specification	
Battery capacity (V/Ah)	-
Suction motor (W)	-
Brush motor (W)	-
Driving motor (W)	-
Main brush width	480
Side brush width (mm)	2 x 350
Cleaning width (mm)	920
Brush width (mm)	-
Squeegee width (mm)	-
Theoretical cleaning efficiency (m²/h)	No oil or electricity required
Machine weight (kg)	23
Endurance time(H)	All Day
Recovery tank capacity (L)	55
Product size (mm)	1300 x 920 x 1035

Hand-push Floor Sweeper



Excellence derives from details



Lifting handle
Easy to operate



Wear-proof rear wheels
Thickened wheel, anti-wear and durable



Adjusting gear
Vertical adjustment of the brush

ACS2 pro Walk Behind Sweeper

Made as per CE standards.



Benefits & Features

- 1. Adopting an integrated injection molded chassis to ensure stronger operation stability and controllability
- 2. The rotary cleaning switch is simple and easy to operate
- 3. The steering adopts a universal wheel mechanism to flexibly adjust the cleaning angle
- 4. The adjustable push rod can adapt to different user heights
- 5. The rolling brush adopts V-shaped knitted wool form, which does better in dust collection
- 6. Double spray cleaning and dust suppression can effectively prevent secondary pollution

The ACS2 pro is especially suitable for use in:



Product Specification	
Battery capacity (V/Ah)	24/24
Rolling brush width (mm)	500
Water tank capacity (L)	8
Dust collection capacity (L)	45
Working hours (h)	3-4
Working efficiency (m²/h)	5250
Cleaning width (mm)	1050
Side brush width (mm)	2 x 350
Rolling brush motor (W)	250
Vacuum motor (W)	36
Machine weight (kg)	56
Walking speed (Km/h)	0-8
Product size (mm)	1470 x 1040 x 1040

Note: Optional battery capacity: 24V/32Ah; 24V/50Ah

Excellence derives from details



Cleaning switch device



Rolling brush height adjustment




Replacement of rolling brush

ACU 125 Ride-on Floor Sweeper

Made as per CE standards.


ATCO CLEAN
Industrial Cleaning Equipment



Benefits & Features

1. Minimalist operation panel with illustrations and text descriptions, enabling users to get started with the appliance quickly.
2. Large cleaning width with a notable efficiency of 7000m²/h, making large space cleaning much easier and faster.
3. Compact rotomolded body with anti-collision protection, flexible, robust and durable.
4. 80L large-capacity debris hopper, 10L water tank, high-density nylon brushes, easy to carry out continuous cleaning work.

The ACU125 is especially suitable for use in:




Product Specification

Continuous running time (h)	2-2.5
Theoretical cleaning efficiency (m ² /h)	7000
Suction motor power (W)	216
Rolling brush motor power (W)	700
Side brush motor power (W)	90 x 2
Driving motor power (W)	1000
Cleaning width (mm)	1250
Rolling brush width (mm)	490
Side brush width (mm)	450 x 2
Battery capacity (V/Ah)	48/67
Debris hopper capacity (L)	80
Water tank capacity (L)	10
Total weight (kg)	330
Product size (mm)	1600 x 1250 x 1300
Charging time(h)	8 to 10



Excellence derives from details

Faster wide Sweeping with a cleaning efficiency of 7000m²/h
Suitable for deep cleaning of large spaces



Rotomolded body
Corrosion-proof
Collision-resistant



Cold steel debris hopper
Cold steel, flat design, ergonomic armrests, equipped with pulleys for easy transport, dumping and cleaning



Electrophoretic bottom plate
Protective device equipped preventing the machine from being burned out due to overload




Thickened water tank
Enlarged water adding port Large-sized tank making continuous cleaning much easier



High quality nylon side brushes
High-density nylon bristles, Better cleaning effects

ACU-180 Ride-on Floor Sweeper

Made as per CE standards.



Benefits & Features

1. High-density nylon brush bristles, durable and wear-resistant
2. All-sheet metal body, strong and durable; transparent driving cabin with four-sided brushes, allowing you to know the cleaning area at a glance
3. Polyurethane solid tires, wear-resistant, non-slip and not easy to break
4. Stainless steel double-pressurized spray to effectively suppress dust
5. Powerful suction motor to clean solid waste with one suction
6. Adopting overload and under-voltage protection device, making it safer to use
7. LED headlights used at night, 180L cold steel trash can, resistant to odor and corrosion

The ACU-180 is especially suitable for use in:



Ride-on Floor Sweeper



Product Specification

Battery capacity (V/Ah)	48/100
Rolling brush width (mm)	690
Continuous Running time (h)	2.5-3
Theoretical cleaning efficiency	19500 m ² /h
Suction motor power (W)	360
Side brush width (mm)	520 x 4
Cleaning width (mm)	1900
Driving motor power (W)	1200
Rolling brush motor power (W)	1000
Side brush motor power (W)	90 x 4
Total weight (kg)	780
Product size (mm)	2200 x 1900 x 1950
Debris hopper capacity (L)	180
Water tank capacity	80 m ³ /h

Excellence derives from details



ACK100 Ride-on Floor Scrubber



Squeegee width (mm)	: 1200
Theoretical cleaning efficiency (m ² /h)	: 10000
Solution tank capacity (L)	: 280
Recovery tank capacity (L)	: 300

ACK76+R Ride-on Floor Scrubber (Rolling Brush)



Squeegee width (mm)	: 1000
Theoretical cleaning efficiency (m ² /h)	: 4800
Solution tank capacity (L)	: 115
Recovery tank capacity (L)	: 90

ACK88+Ride-on Floor Scrubber (Rolling Brush)



Squeegee width (mm)	: 1200
Theoretical cleaning efficiency (m ² /h)	: 6200
Solution tank capacity (L)	: 130
Recovery tank capacity (L)	: 150

ACU190/U190P - Ride-on Floor Sweeper



Cleaning width (mm)	: 1900
Theoretical cleaning efficiency (m ² /h)	: 10000
Debris hopper capacity (L)	: 180
Water tank capacity (L)	: 50*2

ACU190CAR - Ride-on Floor Sweeper



Cleaning width (mm)	: 1900
Theoretical cleaning efficiency (m ² /h)	: 16800
Debris hopper capacity (L)	: --
Water tank capacity (L)	: 80

ACU200CAR - Ride-on Floor Sweeper



Cleaning width (mm)	: 2050
Theoretical cleaning efficiency (m ² /h)	: 15000
Debris hopper capacity (L)	: 200
Water tank capacity (L)	: 150



Pallet Trucks



Stackers



Material Handling Equipment



Narrow Aisle Articulated
Forklifts & Reach Trucks



Electric Forklifts



Diesel Forklifts



VNA Truck



Multidirectional Forklift

Autonomous Mobile Robots/Pallet Truck



IZAR Autonomous Battery Operated Pallet Truck



SIRIUS 500



SIRIUS 1500

Aerial Work Platforms



Self Propelled Scissor lifts



Self Propelled
Articulated Boom lift



Self Propelled
Telescopic Boom lift



Self Propelled Rough
Terrain/Crawler Scissor lift

Racking & Storage Solutions

Elevate your warehouse efficiency with our comprehensive range of Racking & Storage Solutions. We understand that optimizing supply chain process are crucial aspects of any successful business. That's why we offer a versatile selection of customizable storage solutions tailored to your unique needs. Our Heavy duty racking system are CE certified follows FEM, SEMA & other International Standards.

Selective/Double Deep Racking System



Our Selective Racking System offers great flexibility, as it is fully adjustable and easily installed. This means that you can customize the system according to your specific storage needs, accommodating various pallet types, sizes, and weights.

VNA Racking System



It is designed to maximize storage capacity while maintaining excellent accessibility and goods protection. This highly efficient system is ideal for businesses seeking quick picking rates and flawless stock rotation with minimum AISLE of 1.7m - Max height of 17m. Our VNA Racking system can provide optimized space planning.

Mezzanine system



Our Mezzanine System designed to utilize the vertical space in your facility. You create an additional floor that can be used for storage, offices, workstations, or other operational needs. Multilevel Mezzanine system is more suitable for E-commerce & Distribution centers where the high level of Piece Picking & Case Picking is required.

Drive-In/Drive-Through System




It is designed to optimize the storage of homogeneous products in large quantities. This specialized system is ideal for businesses looking to maximize storage capacity while streamlining picking and storage processes. This is FIFO or LIFO Concept.

Warehouse Automation - 2/4 Way Shuttle



With cutting-edge features that enable seamless movement in four directions - horizontally, vertically, diagonally, and even customizable patterns. It offers an unprecedented level of freedom and adaptability by Authorising your warehouse operations.

Mobile Racking System



An ideal solution for businesses that operate on a First-in, First-out (FIFO) goods storage setup. It is particularly well-suited for industries such as the drinks industry or as a buffer storage facility in manufacturing.

Cantilever Racking System



This System is usable for loading long goods like Timber, Pipes, Panels etc. Designed to store long, awkward, or bulky materials of virtually any length. Unlike any other pallet rack system, cantilever racks offer no vertical obstructions in the storage area.

Carton/Pallet live storage



Pallet live storage, also known as gravity flow racking or pallet flow racking, optimises warehouse efficiency by utilising gravity and a dynamic storage system. Pallet live storage eliminates the need for workers or forklifts to travel within storage bays to retrieve pallets.

Bolt Free/Long Span Shelving System



Our System offers a range of sizes and configurations, both open and closed, to efficiently store a wide variety of items. From small components to large cartons and boxes, this system provides the perfect solution for organizing your inventory.

Guide-Rail Lifting Platform(Cargo Lifts)




Guide-Rail Lifting platform is suitable for heavy loading, high floors and the ground can not have foundation pit. this machine operates smoothly, has high safety factor and long using time.

Cargo Elevator Lifting Platform



The Cargo Elevator Lifting Platform can lift items up to 3,000 kg and comes with a range of safety features such as a safety valve to prevent overloading and an emergency stop button.

Gravity/Motorised Spiral Conveyor



This is a vertical transport solution used to transport goods from Mezzanine to ground floor using gravity floor or Motorised floor. Bi-directional movement of goods between floors with a multi in - multi out capability is available in the range.



Swing Lip Dock Leveler



Telescopic Dock Leveler



Dock House



High-Speed Rolling Door



Folding High-speed Door



Self Repairing High Speed Door



Dock Sectional Doors



Hard High Speed Door



Aircraft Hangar Doors & Shipyard Doors



Retractable Dock Shelter




Inflatable Dock Shelters



Rolling Shutters


Cold Storage Doors




Prime Cold Reset



Prime Freezer



Prime Freezer Duo



Brands



Partners



BARNESLEY UNIVERSAL INC.

3 - N302, Jebel Ali Free Zone (North), P.O.Box 17251, Dubai, UAE
Tel: +971 4 883 3306 | Email: barnesley@eim.ae

ALE INTERNATIONAL LLC

Gate No-12, W/H No-17, Jebel Ali- Industrial Area-1, Dubai, UAE
Tel: +971 4 227 9283 | ☎+971 58 1053 859 | Email: contact@atcoworld.com

ALE INTERNATIONAL LTD COMPANY

208, Sharik Hub, Building 7984 Firas Bin Al Nader Street, Olaya, Al Khobar, Kingdom Of Saudi Arabia
Tel: +966 56 149 3601 | Email: infoksa@atcoworld.com



Follow us on Social Media: [f](#) [x](#) [i](#) [p](#) [v](#) /atcoworld

ALE INTERNATIONAL LLC reserves the right to make any changes without concerning colors, equipment or specifications in this catalogue, or to discontinue individual models. The colors of products delivered may differ slightly from those in the catalogue.

www.atcoworld.com