



PERFUMES & COSMETICS FILLING & PACKAGING EQUIPMENT







WHO WE ARE?

ALE International LLC specializes in the supply, installation and service of high quality Intralogistics, Packaging & Commercial Kitchen Equipment. ALE is part of the holding company BARNSLEY UNIVERSAL INC. - owner of the ATCO brand and one of the largest stockists of its core products in the industry.

We are specialist suppliers, integrators, solutions & service providers of a comprehensive range of:

INTRALOGISTICS

- Warehouse Automation
- Material Handling Equipment
- Racking & Storage Solutions
- Loading Bay Equipment
- Weighing Scales & Systems
- Software Solutions
- Industrial Cleaning Equipment

PACKAGING

- Filling & Packaging Lines
- Modified Atmosphere Packaging
- Food Inspection Systems
- End of Line Packing
- Coding & Marking

COMMERCIAL KITCHEN

- Turnkey projects for Kitchens, Restaurants, Cafes & Bakeries
- · Equipment for Bakeries, Confectioneries, Meat Processing **Vegetables Processing**
- Equipment for Cooking, Refrigeration, Dish/warewash

Our products are designed & manufactured in association with highly reputed OEMs, in accordance to our stringent quality specifications, with the use of branded core components as a standard, keeping in mind global industry standards. Along with selling ATCO products, we represent internationally renowned brands to complement our product range and to be able to cater to a wider range of requirements in the industry.

WHY US?

SINCE

PRODUCTS

HAPPY CLIENTS

WORLDWIDE INSTALLATIONS

2001

300+ 7000+



- High quality products at affordable prices, tried and tested in the marketplace for over 22 years
- Professional management
- Streamlined business processes
- Large inventory of finished goods and spare parts
- Know-how of the industry & market as a whole to provide the right solution & product for the right application
- Team of professionally trained sales & service engineers who ensure a smooth experience for the customers, right from project consultancy, to supply of the right product, to installation, training and after sales service

Productivity, Performance, Safety, Stability, Durability - remain the hallmarks of our products





Head Office & Logistics Centre Jebel Ali Free Zone (North) Dubai, UAE.



ATCOPACK Stall **Gulfood Manufacturing** Dubai, UAE.



ATCOPACK Stall Beautyworld Middle East Dubai, UAE.



TABLE OF CONTENTS

| Perfume Series | | End Of Line Packing |
|---|----|--|
| » Rotary Perfume Filling & Capping Machine | 03 | » Automatic Case Erector |
| » Perfume Freezing Filter | 03 | » Automatic Flap Folding Carton Sealer+Strapping |
| » Storage Tanks | 04 | » Semi Automatic Carton Sealer |
| » Bottle Washer | 04 | » Semi Automatic Strapping Machine |
| » Air Cleaning Machine | 04 | » Automatic Strapping Machine |
| » 10 Head Rotary Perfume Filling Machine | 05 | » Pallet Wrapping Machine |
| » Semi Automatic Four Head Filling Machine | 05 | » Fully Automatic Sleeve Seal Shrink + Tunnel |
| » Semi Auto Pump Pipe Cutting Machine, Collaring | | » Automatic L Bar Sealer + Tunnel |
| Machine & Crimping Machine | 05 | » 2 In 1 Shrink Packaging Machine |
| » Belt Conveyor | 06 | » Semi Automatic L Bar Sealer + Tunnel |
| » Aerosol Packaging Machine | 06 | |
| Overwrapping Machines | | Coding & Marking |
| » Semi Automatic Overwrapping Machine | 07 | Weighing Scales |
| » Automatic Overwrapping Machine | 07 | Material Handling Equipment |
| | | Material Handling Equipment |
| Lotion Making Machines/Emulsifier | | Customers |
| » Lotion Making Machine/ Emulsifier | 08 | |
| » Automatic Tube Filling Sealing Machine | 08 | |
| Cosmetics Series | | |
| » Automatic Lotion/Cream Filling&Capping | | |
| machine | 09 | |
| » Automatic Lotion/Cream Filling Machine. | 09 | |
| » Semi Automatic Lotion/Cream Filling Machine | 09 | |
| » Semi Auto Liquid Filling Machine | 09 | |
| » Automatic Straight Line Piston Filling Machine | 10 | |
| » Automatic Press Capping Machine 10 | | |
| » Single Head Automatic Screw Capping Machine | 10 | |
| » Linear High Speed Capping Machine(Screw Type) | 10 | |
| » Online Induction Cap Sealing Machine | 11 | |
| » Sleeve Applicator | 11 | |
| Labeling Machines | | |
| » Double Side Self Adhesive Labeling Machine | 12 | |
| » Round Bottle Self Adhesive Labeling Machine | 12 | |
| » Sticker Orientation Labelling Machine For Round | | |
| Bottles | 12 | |
| » Automatic Box Top Surface Labeling Machine | 12 | |
| » Automatic 3 Side Labeling Machine | 12 | |

» Desktop Round Bottle Labeling Machine



Rotary Perfume Filling & Capping Machine

APLM-SG-D is an automatic rotary Perfume Cleaning, Filling, Crimping, and collaring machine. This is used for filling perfume, floral water, and other water-based materials. It is a rotary type machine with 4 filling heads, which could fill 4 bottles at the same time. It is efficient and labor-saving. It consists of automatic air cleaning, filling, pump positioning, crimping & collaring device. Main function of this machine is automatic by the system. Only need to put bottles, pump & collar manually.



| Product Code | APLM-SG-D |
|-----------------|-----------------------------------|
| Bottle height | 50-180mm |
| Filling speed | 25-35bpm |
| Filling range | 10-150ml |
| Working station | 20 |
| Size | 2008mm x 2100mm x1800m |
| | With adjusting molds |
| | With explosion proof glass shield |





Features

- » Mold is adjustable for different sizes/shapes of bottles, but if some shape or size is not normal, then can not use this machine, so general, if customer place order, we should check samples before production.
- » Speed is 25-35 bpm.
- » With automatic pump & collar feeders, this machine only needs one worker to put bottle on mold.
- » With air cleaning system, no need buy extra cleaning machine.
- » Explosion proof electric box and motors.
- » With a small SS304 50L movable storage tank which can control perfume feeding, because it has float ball in side.
- » Machine is small, no need big space.

Perfume Freezing Filter

Harnessing advanced freezing technology, this machine promises impeccable separation of impurities, ensuring the pristine quality of every perfume batch.

Features

- » This machine is specialized in freezing, clean up, filter cosmetic liquid, perfume.
- » Advantage of this machine are compact structure, space saving, stability, easy to operate.
- » This machine is made by SUS304 material, adopt USA Sandpiper pneumatic transfer pump to transfer liquid and give pressure.
- » Adopt imported France Maneurop freezing device. Cooling by Titanium alloy coil.
- » Circulation and cooling system adopts sanitary SUS304 material pipes.
- » Easy to operate, install, disassemble and clean.
- » SS temperature preservation cooling tank and Titanium metal coil.
- » Freezing device(origin: France).
- » Anti-corrosive pneumatic transfer pump(origin: USA).
- » Polypropylene Microporous Filtration Membrane.
- » SS movable stand.
- » Sealed electronic control system and sanitary pipe valves.







Storage Tanks

It is a customized series. The working capacity, material etc. can be made according to the customer's requirement. It is an ideal storing equipment for daily cosmetic pharmaceutical, food industry that meet the GMP standard.







Tank with Double Layers



Tank with Pneummatic Mixer



Horizontal Storage Tank

Bottle Washer

Elevate your cleaning operations with ATCOPACK's Bottle Washer, the epitome of efficiency and precision. Boasting an impressive 48 washing heads, this machine effortlessly handles a robust cleaning capacity of 2,000 to 3,000 bottles per hour. Engineered with an energy-efficient 1.25Kw/220V motor featuring frequency control, it ensures optimal performance while minimizing operational costs.



| Product Code | AP LM-SXP-B |
|-------------------------------|-------------------------------|
| Washing Heads(pcs) | 48 |
| Capactity(B/H) | 2000 - 3000 |
| Motor Power | 1.25Kw/220V/Frequency Control |
| Suitable Bottle Height (mm) | 50 - 150 |
| Suitable Bottle Diameter (mm) | 25 - 80 |
| Water Consumption | 1.5m³/h |
| Working Pressure (Mpa) | 0.2 - 0.4 |
| Machine Weight (Kg) | 330 |

Air Cleaning Machine

Experience unmatched purity and efficiency with ATCOPACK's state-of-the-art Air Cleaning Machine. Engineered for optimal performance, this machine boasts a swift cleaning speed, handling 30-40 bottles per minute, ensuring every container meets the highest hygiene stan dards. With a precise air consumption rate of 60 L/min and operating under a consistent air pressure of 4-5 kgf/cm2, this machine is synonymous with reliability and efficiency.



| Product Code | APLM-QSP |
|------------------------------|------------------|
| Washing Speed(B/min) | 30-40 |
| Air Consumption(L/min) | 60 |
| Air Pressure (kgf/cm) | 4-5 |
| Power Supply(V/Kw) | 220 / 0.4 |
| Machine Weight (Kg) | 78 |
| Machine Dimensions (LxWxH)mm | 700 x 610 × 1230 |

Features

- » Easy and convenient operation.
- » It can clean the dust and impurity inside the bottle, with device to eliminate static.
- » The time for cleaning can be set according to your requirement.
- » Adopt double (blow/inhale) working station, clean the dust in the bottle.
- » Ensure the purity of the air source with precise Filter.



10 Head Rotary Perfume Filling Machine

It is the ideal automatic perfume filing machine for liquid such as floral water, perfume, lotion, and other materials. Continuous rotary flling, suitable for all kinds of bottles without changing the mold can provide explosion proof type.



| r. | |
|---------------------------|--------------------------------------|
| Product Code | ALM-SG-C |
| Filling Scope (ml) | 30-500 |
| Production Capacity (B/H) | 1000-3000 |
| Rotary Control | Frequency stepless |
| Vacuum Control | Imported Pneumatic Vacuum Generators |
| Single Machine Noise | ≤70dB |
| Machine Dimensions (mm) | 1168 x 1168 x 2000 |
| Machine Weight (Kg) | 900 |

Semi Automatic Four Head Filling Machine

Experience precision and efficiency with ATCOPACK's Semi Automatic 4 Head Filling Machine. Designed for optimal throughput, this machine boasts a filling speed of 40 bottles per minute, ensuring swift operations without compromising on accuracy. Equipped with four dedicated filling heads, it offers consistent and uniform filling, adaptable to a wide range of volumes up to 500ml.



| Product Code | APLM-SG-C |
|----------------------------|----------------|
| Filling speed | 40 bottles/min |
| Filling Volume (ml) | 0-500ml |
| Filling heads | 4 |
| Bottle Height (mm) | ≤250mm |
| Max diameter (bottle hole) | ≤20mm |
| Suction speed | 5.5L/min |
| Power | 220V/50Hz |

Semi Auto Pump Pipe Cutting Machine, Collaring Machine & Crimping Machine

The Pump Pipe Cutting machine is capable of handling a wide variety of pump pipe sizes. It has a cutting range of 30 - 140mm.

The Perfume Collaring Machine precision mechanism guarantees that each collar is placed accurately, enhancing the visual appeal and ensuring the integrity of the perfume bottle's design.

Perfume Crimping Machine operates through a clamping mechanism, that meticulously closes the cap, anchoring it firmly to the bottle's edge.



Pump Pipe Cutting Machine



Collaring Machine



Crimping Machine



Belt Conveyor



| Feat | ur | 00 |
|------|----|----|

- » Adopts Frequency control » Simple structure, convenient operation.
- » The whole machine is made from stainless steel.
- » Equipped with belt imported from Holland.

| Product Code | APLM-BP |
|---------------------|--|
| Material | Stainless Steel SUS304; Thickness:1,2mm; supporter:38x38 |
| Rack | with leg supporter, the range of the height is 0-10 |
| Belt (mm) | imported from holland, width:250, match with the platform |
| Platform (mm) | Stainless steel, width: 250x2, protector: 30x2 |
| Motor Power (Kw) | 0.55 |
| Bearing Weight (Kg) | 200 |
| Frequency Convertor | Taiwan Taida |







Aerosol Packaging Machine

The Automatic Aerosol Filling Machine, crafted with advanced technology, offers a refined and efficient solution for aerosol packaging needs. Its independent control over the filling end ensures that there is no discharge without filling, promoting costeffectiveness and reducing wastage.

Moreover, the machine is designed with a sealing-guided feature, providing automatic halts in operation if it detects subpar sealing quality. It employs a highly accurate and efficient inflation method at the charging end, which minimizes gas consumption.

For added convenience, the machine can be coupled with an automatic weighing machine to enhance precision in your production line. This comprehensive system comprises an automatic inlet device, three liquid filling nozzles, a capping device, and three gas filling nozzles, ensuring a streamlined and high-performing aerosol packaging process.

The whole machine is controlled by pneumatic and can be controlled separatel. No can, no material out.





Semi Automatic Overwrapping Machine

The Semi Automatic Overwrapping Machine is a highly efficient and adaptable solution designed specifically for wrapping small and medium-sized boxes.







| Product Code | APAW-MINI |
|--------------------|------------------------|
| Lenght (L) | Min 50 mm - Max 250 mm |
| Height (H) | Min 30 mm - Max 80 mm |
| Capacity | 5 - 20 |
| Width (W) | Min 50 mm - Max 150 mm |
| Outline Dimensions | 150 x 85 x 110 cm |
| Power | 1 KW, 1 Phase, 220 VAC |

Automatic Overwrapping Machine for Small & Medium Size Boxes

This machine is an ideal choice for industries seeking a reliable and automated solution for overwrapping boxes of various sizes, providing efficiency and flexibility in packaging operations.







| Product Code | APAW2003-SF |
|--------------|---------------------------|
| Lenght (L) | Min 50 mm - Max 310 mm |
| Height (H) | Min 10 mm - Max 80 mm |
| Capacity | 20 - 40 |
| Width (W) | Min 50 mm - Max 110 mm |
| OPP Lenght | Min 150 mm - Max 420 mm |
| Power | 3.5 KW, 380V - AC 3 Phase |

Automatic Overwrapping Machine for Medium, Big & Multi Box Pack

Our Automatic Overwrapping Machine for Medium & Big Size Boxes is an ideal choice for industries dealing with larger box dimensions.









| Product Code | APAW55-SRV |
|--------------|-------------------------|
| Lenght (L) | Min 50 mm - Max 310 mm |
| Height (H) | Min 20 mm - Max 100 mm |
| Capacity | 10 - 30 |
| OPP Lenght | Min 150 mm - Max 580 mm |
| Width (W) | Min 50 mm - Max 210 mm |
| Power | 5 KW, 380V - AC 3 Phase |



LOTION MAKING MACHINES / EMULSIFIER

Lotion Making Machine / Emulsifier

Our range covers an extensive capacity spectrum from 10L all the way up to 3000L, ensuring we cater to both artisanal creators and largescale manufacturers. Choose from 10L, 20L, 30L, 50L, 80L, 100L, 200L, 300L, 500L, 1000L, 2000L, and 3000L models based on your

production requirements.



| Product Code | APLMM |
|----------------|---|
| Application | Liquid With Suspended Solids |
| Туре | Fix And Tilting |
| Control | Button Control Or By Touch Screen |
| Mixer Type | Homogenizer |
| Mixing Speed | 0-80 R/M |
| Heating Method | Steam Or Electricity |
| Material | SUS304 And SS316 |
| Usage | Produce Cream, Gel, Lotion, Shampoo Etc |

Features

- » Strictly made according to GMP standard design and production, polish meet 300U.
- » The inner parts adopts 316 stainless steel.
- » Bearing adopts Japanese NSK.
- » Imported frequency conversion control.
- » Machinery sealing with excellent sealing quality and performance, the homogenizer can work 24 hours continuously.
- » Scraper blending and stable blending work at the same time.
- » Electric heating and steam heating option.
- » Wide suitability
- » Labour saving
- » Easy to use and maintain







Automatic Tube Filling Sealing Machine

In the dynamic world of packaging, ATCOPACK brings forward the epitome of technological brilliance – the Automatic Tube Filling Sealing Machine. A perfect amalgamation of speed, precision, and adaptability, it's meticulously crafted to cater to the ever-evolving demands of modern industries.



| | : |
|------------------------|---------------|
| Operation Speed | 30-50/min/max |
| Filling Range | 3-250ml |
| Suitable Tube Length | 50-210mm |
| Suitable Tube Diameter | 12-50mm |
| Working Pressure | 0.5-0.6MPa |





Automatic Lotion / Cream Filling & Capping Machine

Elevate your production line with the Automatic Lotion/Cream Filling & Capping Machine by ATCOPACK – a synergy of efficiency, precision, and cutting-edge technology tailored for the skincare industry.



| ALM-SRG-A |
|---|
| 10-20 bottles/min (according to operation stalff and filling range) |
| Electrostatic eliminating air, vacuum suction |
| Panasonic Servo Motor Control |
| Panasonic Servo Motor Control |
| Panasonic Servo Motor Control |
| Unilateral Clamping Type |
| 220V /2KW Single Phase |
| 0.5Mpa ~ 150L/min |
| |

Automatic Lotion / Cream Filling Machine

Discover precision engineering combined with relentless efficiency in the Automatic Lotion/Cream Filling Machine by ATCOPACK – a prime choice for skincare professionals and manufacturers who prioritize excellence.



| Machine Weight (Kg) | 260 |
|-----------------------------|---|
| Noise of Single Machine | ≤70bB |
| Speed Control | Frequency Control |
| Required Air pressure (Mpa) | 0.4 ~0.8 |
| Electric Power (Kw) | ≤0.5 |
| Power Source | 220V/50Hz |
| Production Capacity | 1000~3000 (filling range, container diameter varies) |
| Suitable Bottle Size | Ø 20 ~ Ø 100mm |
| Product Code | AP LM-ZDGT-A |

Semi Automatic Lotion / Cream Filling Machine

Dive into a world of precision, efficiency, and adaptability with ATCOPACK's Semi-Automatic Lotion/Cream Filling Machine. Expertly crafted to suit the nuanced requirements of both cosmetics and pharmaceutical industries, this machine is the nexus of innovation and reliability.



| ALM-GT | | |
|-----------------------|--|--|
| 3-30 / 5-150 / 20-500 | | |
| 20-40(Pcs/min) | | |
| 0.5% | | |
| 1 pc | | |
| 1 | | |
| 35L | | |
| 4kg/cm²- 6kg/cm² | | |
| | | |

Semi-Auto Liquid Filling Machine

Semi-automatic piston type filling machine for viscous and nonviscous products. Filling quantity and speed can be adjusted. Easy to operate, with high accuracy. Simple to maintain and clean.





COSMETICS SERIES

Automatic Straight Line Piston Filling Machine

Tailored to meet diverse production demands, our filling line offers a choice of nozzle configurations. Whether you opt for 4, 6, 8,10, or 12 nozzles, you are ensured swift and accurate fills every time, perfectly suited to you operational pace and volume



Filling volume: 100-1000 ml, 200-2000 ml, 500-5000ml

| Product Code | APG 5600 | | | | |
|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Nozzle No | 4 | 6 | 8 | 10 | 12 |
| Capacity (bottle/h) | ≤1300 | ≤1900 | ≤2600 | ≤3200 | ≤4000 |
| Filling Precision | ≤±0.5% | | | | |
| Power Supply | 220V / 380W 50-60Hz | | | | |
| Compressor (Mpa) | 0.5 - 0.8 Mpa | | | | |
| Consumed Power (Kw) | 2.5 | 2.5 | 2.8 | 3.5 | 3.5 |
| Dimension (mm) | 1600 X 1260 X 2550 | 2180 X 1260 X 2550 | 1600 X 1460 X 2550 | 1900 X 1460 X 2550 | 2180 X 1460 X 2550 |

Features

- » The filling range starts from 100-1000ml to 500- 5000ml.
- » Servo based system for filling volume.
- » Using double speed technology to improve production efficiency and prevent material from spilling out.
- » The adjustment of filling volume is convenient, can be set directly on the touch screen.
- » Special diving nozzles for foamy products.
- » No bottle, No filling function as standard.
- » Stable performance & high accuracy.

Capping Machine

At ATCOPACK, we specialize in a diverse range of capping solutions tailored to meet various industrial needs. Among our notable products is the "Linear Capping Machine for Plastic Caps" designed for efficient and consistent capping. For those seeking automation, our Capping machines offer precision and speed, ensuring containers are securely sealed with caps with safety and accuracy in the process.



Automatic Press Capping Machine



Single Head Automatic Screw Capping Machine



Linear High Speed Capping Machine(Screw Type)



Online Induction Cap Sealing Machine

Utilizing a sophisticated non-contact heating process, this machine perfects the art of hermetically Sealing containers.



| Product Code | ARIGNITE-3000 | ARIGNITE-2000 | APSR-2000A | | | |
|------------------|---------------|---------------|-------------|--|--|--|
| Machine Type | Water | Air cooled | | | | |
| Sealing Diameter | 20 to 148mm | 20 to 60mm | 20 to 120mm | | | |
| Frequency | 50-60Hz | | | | | |
| Output Power | 3 KW | 2 KW | 3 KW | | | |













Sleeve Applicator & Shrink Machine

The Automatic Sleeve Applicator is an all-in-one labeling solution designed to streamline your production process. Widely utilized in the beverage, dairy products, cosmetics, food, alcohol, and pharmaceutical industries, this machine offers an impressive adaptability to various container shapes, including round, square, or flat bottles, yogurt cups, empty bottles, beer bottles, and more.







Features

- » High Stability of the mechanical structure.
- » A protective cover and man-machine interface operating system, makes the whole machine more simple to control and use.
- » The machine can be worked with the whole production line or as a stand alone machine.
- » Unique knife plate design, within the scope of our specification, can avoid changing it.
- » Forced sleeve-label style, very economical.
- » Overall rotation system, can be linked to adjustment, suitable for various label rolls'specification.
- » Inner diameter of the label roll: 5"-10", can be adjusted differently.









Double Side Self Adhesive Labeling Machine

Used for the surface labeling of square, flat & round objects in industries such as food, beverage, pharmaceutical, oil, cosmetics etc.



Round Bottle Self Adhesive Labeling Machine

Automatic labeling of round bottles in industries such as food, beverage, pharmaceutical, oil, cosmetics etc.



Sticker Orientation Labeling Machine For Round Bottles

This machine is a precision-oriented labeling solution designed for round bottles requiring specific label positioning.



Automatic Box Top Surface Labeling Machine

This machine is ideal for industries that require quick and efficient labeling processes. It is engineered to handle great flexibility for a broad range of packaging dimensions.



Automatic 3 Side Labeling Machine

This machine provides the flexibility of allowing seamless integration into any production line. It impresses with a yield of 30 to 120 pieces per minute depending on bottle and label size, ensuring high-speed labeling without compromising on accuracy.



Desktop Round Bottle Labeling Machine

High-performance labeling solution designed specifically for round bottles. Its compact desktop size doesn't compromise on speed or efficiency. It is an excellent choice for both small and large-scale operations.







Automatic Case Erector

This machine is used to automatically erect case and seal the bottom of the case with pressure-sensitive adhesive tape like PVC & BOPP.



Automatic Flap Folding Carton Sealer + Strapping Machine

Carton sealing strapping packaging line can complete the processes of flap folding, carton sealing, conveying and multi-passes strapping automatically.



Semi Auto Carton Sealer (Top & Bottom Belt)

Our Semi Automatic Carton Sealer is designed with advanced features and user-friendly controls, it offers seamless operation, allowing you to seal cartons quickly and securely.



Semi Automatic Strapping Machine

Beyond speed, strength is paramount. Our machine boasts a tension strength of up to 65kg, promising a tight and sturdy hold for your packages.



Automatic Strapping Machine

This machine can be used as Standalone or can be into integrated into existing packaging lines.



Pallet Wrapping Machine

The Automatic Pre Stretch Wrappers Designed to work at variable speed to ensure an optimal wrapping suitable for a driverse range of products.



Fully Automatic Sleeve Seal Shrink + Tunnel

Fully-automatic sleeve seal shrink machine can convey the products automatically into shrink tunnel through conveying belt for shrink packaging.



Automatic L-Bar Sealer + Tunnel

Automatic L Bar Sealer + Tunnel, with its sealing capability is a game-change for businesses requiring efficient and high-volume packaging.

END OF LINE PACKING / CODING & MARKING





2 In 1 Shrink Packaging Machine

This Shrink Packaging Machine is a perfect blend of efficiency and versatility by sealing and shrinking in one machine.



Semi Automatic L Bar Sealer + Tunnel

Semi-automatic L-seal cutting machine can convey the products automatically into shrink tunnel through conveying belt for shrink packaging after sealing & cutting.

CODING & MARKING





Continuous Ink Jet Printers

7"TFT color screen, with int'l standard QWERT keypad



Handheld Carton Coder

Printing Resolution: 300DPI Printable Heights from: 1~12.7 mm



High Resoltion Inkjet printers

Printing Resolution: 50~600DPI Printable Heights from: 1~76.2 mm



Multi-Heads Inkjet Printer

Printing Resolution: 50~600DPI Printable Heights from: 1~76.2 mm







Thermal Transfer Overprinter (TTO)

TTO deliver high resolution images on fiexible packaging film & labels





High Resolution Printer

With a print height of 32.4 mm with single head. Can combine 4 print head to get a print height of upto 128mm





Analytical Balance

Readability from 0.1mg with a Max. capacity upto 220 grams



Analytical Balance

Readability from 1mg with a Max. capacity upto 620 grams



Precision Balance

Readability from 10 mg with a Max. capacity upto 6200 grams



Table Top Scales

15kg x 1gm (215 X 265mm) 30kg x 2gm (215 X 265mm)



Waterproof Scales (Table Top)

15Kg x 1gm (196x236mm) 30Kg x 2gm (188x226mm)




Waterproof Platform Scales

150kg x 10gm (450 x 600mm) 300kg x 20gm (450 x 600mm) 600kg x 50gm (600 x 600mm)



Platform Scales

150kg x 10gm (450 x 600mm) 300kg x 20gm (450 x 600mm) 600kg x 50gm (600 x 600mm)



Heavy Duty Platform Scales

2000Kg x 500gm (1000x1000mm) 3000Kg x 500gm (1200x1200mm) 6000kg x 1000gm (1500x1500mm) 10000Kg x 2000gm (2000x2000mm)



Pallet Weighing Scale

2500kg x 200gm 3000kg x 500gm



MATERIAL HANDLING EQUIPMENT





Pallet Trucks & Table Lifters





Narrow Aisle Articulated Forklifts & Reach Trucks

Scissor Lifts & Order Pickers



MATERIAL HANDLING EQUIPMENT













Goods Lifts





Drum Handling Equipment























Vacuum Lifers











INTRALOGISTICS





- » Racking & Storage Solutions
- » Loading Bay Equipment
- » CubiScan Dimensioning Systems
- » Freight Measuring Systems
- » PALOMAT Pallet Organizer
- » Pallet Trucks & Table Lifters
- » Stackers & Drum Handling Equipment
- » Vacuum Lifters TAWI, Sweden
- » Forklifts & Reach Trucks
- » Scissor Lifts & Order Pickers
- » Conveyors
- » Goods Lifts
- » Industrial & Retail Scales

PACKAGING



- » VFFS Vertical Bagging
- » Flow Wrappers & Tray Sealers
- » Baling/Bundling Machines
- » Sachet/Stick Machines
- » Pre Made Bags Pick Fill Seal
- » Stackers & Drum Handling Equipment
- » Bottles / Jars / Cans Filling Machines
- » Capping Machines
- » Can Seaming Machines
- » Labeling Machines
- » Automatic Lines
- » Vacuum Packaging Machines

- - » Food Inspection Systems
 - » Continuous Ink Jet Printers
 - » Thermal Inkjet Printers
 - » Cases Coding High Res. InkJet Printing
 - » Thermal Over Transfer Printers
 - » Palletizers
 - » Pallet Stretch Wrapping Machines
 - » Automatic Carton Packing Lines
 - » Strapping Machines
 - » Shrink Wrapping Machines
 - » Overwrapping Machines
 - » Packing Material & Consumables CIJ, TTO, TIJ

COMMERCIAL KITCHEN



- » Rational Ovens
- » Bakery & Confectionery Equipment
- » Butchery / Meat Processing Equipment
- » Vegetables & Fruits Processing Machines
- » Cooking Equipment
- » Refrigeration & Cold Rooms
- » Dish / Warewash Machines
- » Beverage & Bar Equipment
- » Other Kitchen Equipment

Browse all products online www.atcoworld.com

BARNSLEY UNIVERSAL INC

(HEAD OFFICE & LOGISTICS CENTRE)

3 - N302, Jebel Ali Free Zone (North), P.O.Box 17251, Dubai, UAE. **(*** +971 4 883 3306

ALE INTERNATIONAL LLC

(SALES OFFICE - UAE)

Gate No. 12, Warehouse No. 17, Jebel Ali Industrial Area-1, Dubai, UAE. **(***+971 4 227 9283



(S)+971 58 105 3859 xx contact@atcoworld.com / barnsley@eim.ae # www.atcoworld.com









